# PFC-302L16



Powered Fiber Cable, OM3, 2 Fibers, Indoor/Outdoor, 16AWG Conductor, meter, feet

- Easy peel, stranded conductors for maximum cable flexibility and rapid access
- Polarization indentation along one side of the cable for polarity identification
- No special tools or mounting hardware required usage of a standard "FTTH" pressure clamp for aerial installation
- Easy split of cable into three separate sections for separate routing in closures, as needed for installation
- Riser/LSZH jacket for indoor/outdoor applications

#### **Product Classification**

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North

America

2

**Product Type** Hybrid cable, fiber and power

**Ordering Note**Minimum order quanity is 500 meter

General Specifications

 Cable Type
 Stranded indoor/outdoor

Fiber Short DescriptionPFC-L16Jacket ColorBlack

Total Fiber Count

Dimensions


Height Over Jacket4.318 mm | 0.17 inWidth Over Jacket11.43 mm | 0.45 in

Conductor Gauge 16 AWG

Outline Drawing



# PFC-302L16



## Mechanical Specifications

Minimum Bend Radius, loaded	88.9 mm   3.5 in
Minimum Bend Radius, unloaded	45.72 mm   1.8 in
Tensile Load, long term, maximum	133.447 N   30 lbf
Tensile Load, short term, maximum	440.374 N   99 lbf
Vertical Rise, maximum	122.011 m   400.3 ft

Optical Specifications

**Fiber Type** OM3, bend insensitive

## **Environmental Specifications**

Installation temperature	-10 °C to +60 °C (+14 °F to +140 °F)
Operating Temperature	-40 °C to +70 °C (-40 °F to +158 °F)
Storage Temperature	-40 °C to +70 °C (-40 °F to +158 °F)
Cable Qualification Standards	Telcordia GR-20-CORE Issue 4

EN50575 CPR Cable EuroClass Fire PerformanceDcaEN50575 CPR Cable EuroClass Smoke Ratings1aEN50575 CPR Cable EuroClass Droplets Ratingd1EN50575 CPR Cable EuroClass Acidity Ratinga1

Environmental Space Low Smoke Zero Halogen (LSZH) | Riser

**COMMSCOPE®** 

# PFC-302L16

Flame Test Method | IEC 60332-1-2 | IEC 60754-2 | IEC 61034-2 | NFPA 130 | UL

1666 | UL 444

Jacket UV Resistance UV stabilized

Packaging and Weights

**Cable weight** 69.944 kg/km | 47 lb/kft

Regulatory Compliance/Certifications

Agency Classification

CENELEC EN 50575 compliant, Declaration of Performance (DoP) available

CENELEC

Included Products

CS-5E-PFC – 50µm OM3 Bend-Insensitive Multimode

Fiber

# CS-5E-PFC

### 50um 0M3 Bend-Insensitive Multimode Fiber

#### **Product Classification**

**Portfolio** CommScope® **Product Type** Optical fiber

General Specifications

**Cladding Diameter** 125 µm **Cladding Diameter Tolerance** ±0.8 µm 0.7 % **Cladding Non-Circularity, maximum Coating Diameter (Colored)** 242 µm **Coating Diameter Tolerance (Colored)** ±7 µm Coating/Cladding Concentricity Error, maximum 10 µm **Core Diameter** 50 µm **Core Diameter Tolerance** ±2.5 µm Core/Clad Offset, maximum

**Proof Test** 689.476 N/mm<sup>2</sup> | 100000 psi

Mechanical Specifications

0.20 dB @ 850 nm | 0.50 dB @ 1,300 nm Macrobending, 15 mm Ø mandrel, 2 turns Macrobending, 30 mm Ø mandrel, 2 turns 0.10 dB @ 850 nm | 0.30 dB @ 1,300 nm

1 µm

8.9 N | 2.001 lbf Coating Strip Force, maximum 1.3 N | 0.292 lbf **Coating Strip Force, minimum** 

**Dynamic Fatigue Parameter, minimum** 25

**Optical Specifications** 

**Numerical Aperture** 0.2 **Numerical Aperture Tolerance** ±0.015 Point Defects, maximum 0.2 dB

Zero Dispersion Slope, maximum 0.105 ps/[km-nm-nm]

Zero Dispersion Wavelength, maximum 1340 nm Zero Dispersion Wavelength, minimum 1295 nm



# CS-5E-PFC

## Optical Specifications, Wavelength Specific

**Attenuation, maximum** 1.20 dB/km @ 1,300 nm | 3.00 dB/km @ 850 nm

**Backscatter Coefficient** -68.0 dB @ 850 nm | -75.7 dB @ 1,300 nm

 Bandwidth, Laser, minimum
 2,000 MHz-km @ 850 nm
 | 500 MHz-km @ 1,300 nm

 Bandwidth, OFL, minimum
 1,500 MHz-km @ 850 nm
 | 500 MHz-km @ 1,300 nm

**Differential Mode Delay Note**Superior to TIA-492AAAC and IEC 60793-2-10 at 850 nm

**Index of Refraction** 1.477 @ 1,300 nm | 1.482 @ 850 nm

**Standards Compliance** TIA-492AAAC (OM3)

### **Environmental Specifications**

**Heat Aging, maximum**  $0.10 \text{ dB/km} \ @ 85 \ ^{\circ}\text{C}$ 

Temperature Dependence, maximum0.1 dB/kmTemperature Humidity Cycling, maximum0.1 dB/km

**Water Immersion, maximum** 0.10 dB/km @ 23 °C

### Regulatory Compliance/Certifications

#### Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



### \* Footnotes

**Temperature Dependence, maximum** Temperature dependence is conducted at -60 °C to +85 °C (-76 °F to +185 °F)

**Temperature Humidity Cycling, maximum** Temperature humidity cycling is conducted at -10 °C to +85 °C (+14 °F to +185 °F)

up to 95% relative humidity

