L2NM

Type N Male for 3/8 in LDF2-50 cable

OBSOLETE

This product was discontinued on: December 31, 2010

Replaced By:

L2TNM-PL Type N Male Positive Lock for 3/8 in LDF2-50 cable

L2TNM-PLP Type N Male (PEEK Insulator) Positive Lock for 3/8 in LDF2-50 cable

Product Classification

Product Type Wireless and radiating connector

Product Brand HELIAX®

General Specifications

Body StyleStraightCable FamilyLDF2-50Inner Contact Attachment MethodSolder

Inner Contact Plating Copper alloy treatment

InterfaceN MaleMounting AngleStraightOuter Contact Attachment MethodSelf-flare

Outer Contact PlatingCopper alloy treatment

Pressurizable No

Dimensions


 Length
 57.66 mm | 2.27 in

 Diameter
 17.53 mm | 0.69 in

Nominal Size 3/8 in

Outline Drawing





Electrical Specifications

3rd Order IMD at Frequency-112 dBm @ 910 MHz3rd Order IMD Test MethodTwo +43 dBm carriersAverage Power at Frequency0.7 kW @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 VInner Contact Resistance, maximum1 mOhmInsulation Resistance, minimum5000 MOhmOperating Frequency Band0 - 6000 MHzOuter Contact Resistance, maximum0.25 mOhm

Peak Power, maximum10 kWRF Operating Voltage, maximum (vrms)707 VShielding Effectiveness-110 dB

Mechanical Specifications

Connector Retention Tensile Force671.68 N | 151 lbfConnector Retention Torque2.7 N-m | 23.897 in lbCoupling Nut Proof Torque1.7 N-m | 15.046 in lb

COMMSCOPE®

L2NM

Coupling Nut Proof Torque MethodIEC 61169-16:9.3.11Coupling Nut Retention Force445 N | 100.04 lbf

Coupling Nut Retention Force Method IEC 61169-16:9.3.11

Insertion Force 124.55 N | 28 lbf

Insertion Force Method IEC 61169-16:9.3.5

Interface Durability 500 cycles

Interface Durability Method IEC 61169-4:17

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \, (-67 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F})$

Storage Temperature -65 °C to +125 °C (-85 °F to +257 °F)

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power, Ambient Temperature 40 $^{\circ}$ C | 104 $^{\circ}$ F

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Corrosion Test Method IEC 60068-2-11

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method IEC 60068-2-3

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

Weight, net 47.5 g | 0.105 lb

* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

