

#### TNC Male for 3/8 in LDF2-50 cable

#### **OBSOLETE**

This product was discontinued on: March 21, 2013

Replaced By:

L2TTM-PL TNC Male Positive Lock for 3/8 in LDF2-50 cable

#### **Product Classification**

**Product Type**Wireless and radiating connector

Product Brand HELIAX®

General Specifications

Body Style Straight

Cable Family LDF2-50

Inner Contact Attachment Method Solder

Inner Contact Plating Gold

Interface TNC Male

Mounting Angle Straight

Outer Contact Attachment Method Self-flare

Outer Contact Plating Trimetal

**Pressurizable** No


**Dimensions** 

**Length** 55.63 mm | 2.19 in **Diameter** 16.76 mm | 0.66 in

Nominal Size 3/8 in

COMMSCOPE®

### Outline Drawing



### **Electrical Specifications**

Inner Contact Resistance, maximum

**3rd Order IMD at Frequency** -112 dBm @ 910 MHz

**3rd Order IMD Test Method** Two +43 dBm carriers

Average Power at Frequency 0.7 kW @ 900 MHz

Cable Impedance50 ohm

Connector Impedance 50 ohm

dc Test Voltage 1500 V

Insulation Resistance, minimum 5000 MOhm

**Operating Frequency Band** 0 – 12000 MHz

Outer Contact Resistance, maximum 0.4 mOhm

Peak Power, maximum 5 kW

**RF Operating Voltage, maximum (vrms)** 500 V

Shielding Effectiveness -110 dB

### VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

**45–5200 MHz** 1.065 30.04

**COMMSCOPE®** 

1.5 m0hm

Insertion Force Method

**5200–6500 MHz** 1.173 21.98 **6500–13000 MHz** 1.196 20.99

#### Mechanical Specifications

Connector Retention Tensile Force671.68 N | 151 lbfConnector Retention Torque2.7 N-m | 23.897 in lbCoupling Nut Proof Torque1.7 N-m | 15.046 in lbCoupling Nut Proof Torque MethodIEC 61169-16:9.3.11Coupling Nut Retention Force445 N | 100.04 lbfCoupling Nut Retention Force MethodIEC 61169-16:9.3.11Insertion Force66.72 N | 15 lbf

Interface Durability500 cyclesInterface Durability MethodIEC 61169-4:17Mechanical Shock Test MethodIEC 60068-2-27

#### **Environmental Specifications**

Operating Temperature $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )Storage Temperature $-65 \,^{\circ}\text{C}$  to  $+125 \,^{\circ}\text{C}$  (-85  $^{\circ}\text{F}$  to  $+257 \,^{\circ}\text{F}$ )

IEC 61169-16:9.3.5

Attenuation, Ambient Temperature20 °C | 68 °FAverage Power, Ambient Temperature40 °C | 104 °FAverage Power, Inner Conductor Temperature100 °C | 212 °FCorrosion Test MethodIEC 60068-2-11

Immersion Depth1 mImmersion Test MatingMated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test MethodIEC 60068-2-3Thermal Shock Test MethodIEC 60068-2-14Vibration Test MethodIEC 60068-2-6

Packaging and Weights

**Weight, net** 73 g | 0.161 lb

Regulatory Compliance/Certifications

**COMMSCOPE®** 

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

\* Footnotes

**Immersion Depth** Immersion at specified depth for 24 hours

