# L4TNF-PSA



Type N Female Positive Stop™ for 1/2 in AL4RPV-50, LDF4-50A, HL4RPV-50 cable

#### **Product Classification**

**Product Type** Wireless and radiating connector

**Product Brand** HELIAX® | Positive Stop™

Product Series LDF4-50A

Ordering Note ANDREW® standard product (Global)

General Specifications

Body Style Straight
Cable Family AL4-50

**Harmonized System (HS) Code** 85366910 (Coaxial cable and other coaxial electric conductors)

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

InterfaceN FemaleMounting AngleStraightOuter Contact Attachment MethodRing-flareOuter Contact PlatingTrimetal

Dimensions


 Length
 73.66 mm | 2.9 in

 Diameter
 22.35 mm | 0.88 in

Nominal Size 1/2 in

Outline Drawing





### **Electrical Specifications**

3rd Order IMD at Frequency -116 dBm @ 910 MHz
3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 0.6 kW @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm dc Test Voltage 2500 V Inner Contact Resistance, maximum 1 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 8800 MHz **Outer Contact Resistance, maximum** 0.25 m0hm Peak Power, maximum 10 kW

Peak Power, maximum 10 kW

RF Operating Voltage, maximum (vrms) 707 V

Shielding Effectiveness -130 dB

#### VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

**50–1000 MHz** 1.023 38.89



## L4TNF-PSA

1010-2200 MHz	1.029	36.9
2210-3000 MHz	1.046	32.96
3010-4000 MHz	1.074	28.95
4010-6000 MHz	1.119	25.01

#### Mechanical Specifications

Attachment Durability 25 cycles

**Connector Retention Tensile Force** 889.64 N | 200 lbf

**Connector Retention Torque** 5.42 N-m | 47.998 in lb

**Insertion Force** 66.72 N | 15 lbf

**Insertion Force Method** MIL-C-39012C-3.12, 4.6.9

Interface Durability 500 cycles

**Interface Durability Method** IEC 61169-16:9.5

Mechanical Shock Test Method MIL-STD-202, Method 213, Test Condition I

#### **Environmental Specifications**

Operating Temperature  $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Storage Temperature  $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Immersion Depth 1 m

Immersion Test Mating Unmated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

**Thermal Shock Test Method** MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Unmated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

**Weight, net** 88.46 g | 0.195 lb

### Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value



# L4TNF-PSA

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted



#### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

