

Type N Male OnePiece™ for 7/8 in LDF5-50A cable

OBSOLETE

This product was discontinued on: December 31, 2010

Replaced By:

L5TNM-PS Type N Male Positive Stop™ for 7/8 in LDF5-50A cable

Product Classification

Product Type Wireless and radiating connector

Product Brand HELIAX® | OnePiece™

General Specifications

Body StyleStraightCable FamilyLDF5-50AInner Contact Attachment MethodCaptivated

Inner Contact Plating
Silver
Interface
N Male
Mounting Angle
Straight
Outer Contact Attachment Method
Ball clamp
Outer Contact Plating
Trimetal
Pressurizable
No

Dimensions


 Length
 73.91 mm | 2.91 in

 Diameter
 37.08 mm | 1.46 in

Nominal Size 7/8 in

COMMSCOPE®

Outline Drawing



Electrical Specifications

3rd Order IMD at Frequency -120 dBm @ 910 MHz
3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 0.6 kW @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm dc Test Voltage 2000 V Inner Contact Resistance, maximum 2 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 5000 MHz **Outer Contact Resistance, maximum** 0.3 m0hm Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

Page 2 of 4

Shielding Effectiveness

-130 dB

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
40-1000 MHz	1.029	36.9
1010-2200 MHz	1.036	35.05
2210-3000 MHz	1.046	32.96
3010-4000 MHz	1.065	30.04
4010-5000 MHz	1.173	21.98

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force 889.64 N | 200 lbf

Connector Retention Torque8.14 N-m | 72.001 in lbCoupling Nut Proof Torque4.52 N-m | 39.997 in lb

Coupling Nut Retention Force 444.82 N | 100 lbf

Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

Insertion Force 66.72 N | 15 lbf

Insertion Force Method MIL-C-39012C-3.12, 4.6.9

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Immersion Depth 1 m

Immersion Test Mating Unmated

Immersion Test Method IEC 60529:2001. IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

COMMSCOPE®

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Unmated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

Weight, net $204 \text{ g} \mid 0.45 \text{ lb}$

* Footnotes

Insertion Loss Coefficient, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

