## TA-NFDF



## Type N Female to 7-16 DIN Female Low-PIM Adapter

### **Product Classification**

Product Type Adapter

General Specifications

Body Style Straight
Inner Contact Plating Silver

**Interface** N Female

Interface 2 7-16 DIN Female

Mounting AngleStraightOuter Contact PlatingTrimetal

**Pressurizable** No


**Dimensions** 

 Width
 23.62 mm | 0.93 in

 Length
 46.74 mm | 1.84 in

 Diameter
 23.62 mm | 0.93 in

Outline Drawing



## **Electrical Specifications**

3rd Order IMD at Frequency-159 -dBc @ 1800 MHz3rd Order IMD Test MethodTwo +43 dBm carriersAverage Power at Frequency600.0 W @ 900 MHz

**Connector Impedance** 50 ohm dc Test Voltage 2500 V Inner Contact Resistance, maximum 1.5 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 6000 MHz **Outer Contact Resistance, maximum** 0.4 mOhm Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

### VSWR/Return Loss

VSWR	Return Loss (dB)
1.032	36.06
1.135	23.98
	1.032

Mechanical Specifications

**Insertion Force** 200 N | 44.962 lbf

**COMMSCOPE®** 

## TA-NFDF

**Insertion Force Method** IEC 61169-16:9.3.5

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5 | IEC 61169-4:17

Mechanical Shock Test Method IEC 60068-2-27

#### **Environmental Specifications**

**Operating Temperature** -55 °C to +85 °C (-67 °F to +185 °F)

**Storage Temperature**  $-65 \,^{\circ}\text{C}$  to  $+125 \,^{\circ}\text{C}$  (-85  $^{\circ}\text{F}$  to  $+257 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature  $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature  $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$ 

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth 1 m

**Immersion Test Method** IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

**Immersion Test Mating** 

**Weight, net** 113 g | 0.249 lb

## Regulatory Compliance/Certifications

#### Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system


REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

Mated

ROHS Compliant

UK-ROHS Compliant/Exempted







# TA-NFDF

**Immersion Depth** 

Immersion at specified depth for 24 hours

