

# 760109926 | 360DM-12LC-LS

G2 Multimode OM4 Standard Module, 12 LC fibers (6 duplex ports)



## OBSOLETE

This product was discontinued on: June 30, 2019

### Replaced By:

760224071  
360DMis-12LC-LS

G2 LL Multimode OM4 MPO 12 distribution module, 12 LC to 1x12f MPO pinned, internal shutters

## Product Classification

<b>Regional Availability</b>	Asia   Australia/New Zealand   EMEA   Latin America   North America
<b>Portfolio</b>	CommScope®
<b>Product Type</b>	Fiber module

## General Specifications

<b>Functionality</b>	Breakout
<b>Adapters, quantity, front</b>	6
<b>Adapters, quantity, rear</b>	1
<b>Color, front</b>	Aqua
<b>Color, rear</b>	Gray
<b>Data Module Type</b>	Standard
<b>Intelligence Type</b>	iPatch® ready
<b>Interface, front</b>	LC/UPC
<b>Interface, rear</b>	MPO
<b>Interface Feature, rear</b>	Pinned   Reduced footprint
<b>Shuttered</b>	Yes
<b>Total Fibers, quantity</b>	12

# 760109926 | 360DM-12LC-LS

---

**Total Ports, quantity, front** 12

## Dimensions

**Height** 30.48 mm | 1.2 in

**Width** 91.44 mm | 3.6 in

**Depth** 116.84 mm | 4.6 in

## Optical Specifications

**Fiber Type** OM4, LazrSPEED® 550

**Insertion Loss Change, mating** 0.3 dB

**Insertion Loss Change, temperature** 0.3 dB

**Insertion Loss, maximum** 0.47 dB

## Environmental Specifications

**Safety Standard** UL

## Packaging and Weights

**Packaging quantity** 1

## Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on <a href="http://www.commscope.com/ProductCompliance">www.commscope.com/ProductCompliance</a>
ROHS	Compliant
UK-ROHS	Compliant



## \* Footnotes

**Insertion Loss Change, mating** Maximum insertion loss change after 500 matings

**Insertion Loss Change, temperature** Maximum insertion loss change from -10 °C to +60 °C (+14 °F to +140 °F)