

TFAH-US7B-14



ION®-B Series High Power Remote Unit for Cellular 700, LMR 800, Cellular 850, LMR 900, AWS, PCS 1900, and WiMAX

OBSOLETE

Product Classification


Product Type	Remote unit
Product Brand	ION®-B

General Specifications

Note	Detailed Product Specifications are available. Please contact your local CommScope representative.
Power Class	High

Dimension Drawing

TFAH-US7B-14



Electrical Specifications

Impedance

50 ohm

License Band

AWS | CEL 850 | Cellular 700 | LMR 800 | LMR 900 | PCS 1900 Extended | WiMAX

Voltage Range

85 to 265 Vac

Electrical Specifications, Rx (Uplink)

Operating Frequency Band

1710 – 1755 MHz (AWS 1700) | 1850 – 1915 MHz (PCS 1900 Extended) | 2496 – 2690 MHz (WiMAX) | 698 – 716 MHz (Cellular 700) | 776 – 787 MHz (Cellular 700) | 806 – 824 MHz (LMR 800) | 824 – 848.5 MHz (Cellular 850) | 896.5 – 902 MHz (LMR 900)

Electrical Specifications, Tx (Downlink)

Operating Frequency Band

1930 – 1995 MHz (PCS 1900 Extended) | 2110 – 2155 MHz (AWS 1700) | 2496 – 2690 MHz (WiMAX) | 728 – 757 MHz (Cellular 700) | 851.5 – 869 MHz (LMR 800) | 869 – 893.5 MHz (Cellular 850) | 929 – 941 MHz (LMR 900)

Regulatory Compliance/Certifications

TFAH-US7B-14

Agency

CHINA-ROHS

ISO 9001:2015

ROHS

UK-ROHS

Classification

Above maximum concentration value

Designed, manufactured and/or distributed under this quality management system

Compliant/Exempted

Compliant/Exempted



Included Products

TPSN1/28-150 - Power Supply Adapter ION®-B Series Remote Units, 150 W

TPSN1/28-150



Power Supply Adapter ION®-B Series Remote Units, 150 W

Product Classification

Product Type	Power adapters
Product Brand	ION®-B

General Specifications

Note	Detailed Product Specifications are available. Please contact your local CommScope representative.
-------------	--

Dimension Drawing

Electrical Specifications

Output Power, maximum	150 W
------------------------------	-------

Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

