

ASP635



1-port omni ground plane antenna, Unity Gain, 120–512 MHz, 360° HPBW

- Heavy Duty – Rugged construction assures long life and trouble-free service
- Utility – Omni-directional ground plane antenna for general purpose fixed station use
- Protected – Built-in gap-type lightning arrester
- Field Tunable – Tune to operating frequency at time of installation using cutting chart
- Bandwidth – 4MHz
- Easily Installed – Simple thread onto 1 – ¼" (31.8mm) NPSM pipe (not supplied)

OBSOLETE

This product was discontinued on: March 27, 2020

General Specifications

Antenna Type	Omni
Band	Single band
Performance Note	Outdoor usage
RF Connector Interface	UHF Female
RF Connector Location	Bottom
RF Connector Quantity, low band	1
RF Connector Quantity, total	1

Dimensions

Length	609 mm 23.976 in
Net Weight, without mounting kit	1.2 kg 2.646 lb

Electrical Specifications

Impedance	50 ohm
Operating Frequency Band	120 – 512 MHz
Polarization	Vertical

Electrical Specifications

Frequency Band, MHz	120–512
Gain, dBi	2.1

ASP635

Beamwidth, Horizontal, degrees 360

Input Power per Port, maximum, watts 1000

Mechanical Specifications

Wind Speed, maximum 161 km/h (100 mph)

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant



* Footnotes

Performance Note Severe environmental conditions may degrade optimum performance