



WRSS wraparound auxiliary heat shrink sleeve kit, cables with 0.35 to 1.70 inches cable diameter, 12 inches long

- Accommodates a wide range of pressure and temperature, ideal for hostile environments
- Designed to be used for diameter transitions in cable where a large shrink ratio is required
- Minimized total required splice length allowing installation on existing cables in confined areas

## OBSOLETE

This product was discontinued on: June 30, 2022

## Product Classification

<b>Regional Availability</b>	North America
<b>Product Type</b>	Heat shrink repair sleeve
<b>Product Series</b>	WRSS

## General Specifications

<b>Color</b>	Black
<b>Sealant Type</b>	Hotmelt adhesive

## Dimensions

<b>Length</b>	304.8 mm   12 in
<b>Expanded Inside Diameter, minimum</b>	170 mm   6.693 in
<b>Recovered Inside Diameter, maximum</b>	35 mm   1.378 in
<b>Single Cable Diameter, maximum</b>	43.18 mm   1.7 in
<b>Single Cable Diameter, minimum</b>	8.89 mm   0.35 in

## Material Specifications

<b>Material Type</b>	SuperSleeve sealing
----------------------	---------------------

## Environmental Specifications

<b>Environmental Space</b>	Aerial   Buried
----------------------------	-----------------

## Packaging and Weights

<b>Packaging quantity</b>	1
<b>Packaging Type</b>	Bag   Carton

## Regulatory Compliance/Certifications

<b>Agency</b>	<b>Classification</b>
CHINA-ROHS	Below maximum concentration value
REACH-SVHC	Compliant as per SVHC revision on <a href="http://www.commscope.com/ProductCompliance">www.commscope.com/ProductCompliance</a>
ROHS	Compliant
UK-ROHS	Compliant

