FPCC-MMYP



Fiber Optic Patch Cord, duplex, singlemode, 1.2 mm OFNP jacket, LC/APC-LC/APC, yellow

- 1.2 mm diameter cable provides a 65% space savings over commonly used 2.0 mm cable
- 1.2 mm diameter fiber patch cords use Reduced Bend Radius (RBR) fiber cable
- Typically used in environments where space constraints and cable routing prove most challenging
- *Product complies with the Build America, Buy America Act (BABAA) requirements of the Infrastructure Investment and Jobs Act of 2021 (Pub. L. 117- 58, §§ 70901-70953), or is the subject of a waiver approved by the Secretary of Commerce or designee. Compliance requirements and waiver applicability vary based on government funding program. Check the laws and regulations for your specific program.

Product Classification

Regional Availability	Europe Latin America Middle East/Africa North America		
Product Type	Fiber patch cord, duplex		
Product Series	FPCC		
Government Funding	Build America Buy America (BABA) compliant*		
General Specifications			
Connector A, quantity	1		
Color, boot A	Green		
Color, connector A	Green		
Connector B, quantity	1		
Color, boot B	Green		
Color, connector B	Green		
Interface, Connector A	LC/APC		
Interface, Connector B	LC/APC		
Jacket Color	Yellow		
Total Fibers, quantity	2		
Transmission Standards	TIA/EIA-604 FOCIS-3		
Dimensions			
Diameter Over Jacket	1.2 mm 0.047 in		


Page 1 of 2

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: April 11, 2024



FPCC-MMYP

Ordering Tree



Optical Specifications

Fiber Mode	Singlemode
Fiber Type	G.657.A2/B2
Insertion Loss, maximum, connector A	0.35 dB
Insertion Loss, maximum, connector B	0.35 dB
Return Loss, minimum, connector A	65 dB
Return Loss, minimum, connector B	65 dB

Environmental Specifications

Environmental Space	Plenum
Qualification Standards	GR-326 CORE GR-409 GR-449-CORE
Packaging and Weights	
Packaging quantity	1

Page 2 of 2

©2024 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: April 11, 2024

COMMSCOPE°