# MCG22-12M-12-126



G22 High Capacity 3-Sector Monopole Frame, 12 ft 6 in face, includes twelve 126 in pipes; For patents, see www.cs-pat.com.

#### OBSOLETE

## This product was discontinued on: July 29, 2022

Replaced By:

MCG22HD-12M-12-126 G22HD High Capacity 3-Sector Monopole Frame with 2 7/8in OD x 12.5ft face. Includes twelve 2 3/8in OD x 126in antenna pipes

### Product Classification

Product Type	High capacity monopole sector frame
General Specifications	
Mounting	Monopole, 381–1270 mm (15–50 in) OD
Pipe, quantity	12
Sectors, quantity	3
Dimensions	
Height	3,200.4 mm   126 in
Face Width	3.81 m   12.5 ft
Width	3,810 mm   150 in
Pipe Length	3,200.4 mm   126 in
Face Support Pipe Diameter	60.325 mm   2.375 in
Mounting Diameter, maximum	1270 mm   50 in
Mounting Diameter, minimum	381 mm   15 in
Pipe Outer Diameter	60.325 mm   2.375 in
Stand-off Distance	1,117.6 mm   44 in


## Outline Drawing

Page 1 of 3

©2025 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: February 5, 2025



## MCG22-12M-12-126



#### Mechanical Specifications

#### Load Capacity

With additional stiff arm at 300 ft AGL: 600 lb per pipe w/out ice / 1775 lb per pipe including ice

Page 2 of 3

©2025 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: February 5, 2025



# MCG22-12M-12-126

Wind Rating	For Specifications, please contact your local ANDREW representative
Wind Rating Test Method	TIA/EIA-222
Wind Rating with Additional Stiff Arm	300 ft AGL: 120 mph (BWS) without ice /60 mph with ice
Packaging and Weights	
Included	Pipe mounts   Plain end pipes (12)   Ring mounts (2)   Sector frames (3)   Stiff arm
Packaging quantity	1
Weight, net	948.462 kg   2091 lb

## Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Above maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
ROHS	Compliant/Exempted
UK-ROHS	Compliant/Exempted
<b>50</b>	
* Footnotes	

Wind Rating	BWS-Base Wind Speed; FBC-Florida Building Code
Wind Rating with Additional Stiff Arm	BWS–Base Wind Speed; FBC–Florida Building Code

Page 3 of 3

©2025 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: February 5, 2025

