PM-412-63



Adjustable Pipe Mount, 4-1/2 in OD x 63 in

Product Classification

Product Type

Pipe mount

General Specifications


Mounting	Saddle mounts
Note	One 96 in x 8 in panel antenna per pipe mount
Pipe, quantity	1
Tower Taper	Non-tapered
Dimensions	
Height	1,600.2 mm 63 in
Width	152.4 mm 6 in
Length	152.4 mm 6 in
Pipe Length	1,600.2 mm 63 in
Pipe Outer Diameter	114.3 mm 4.5 in

Page 1 of 3

©2023 CommScope, Inc. All rights reserved. All trademarks identified by ® or [™] are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: March 23, 2023



Outline Drawing



Material Specifications

Material Type

Hot dip galvanized steel

Mechanical Specifications

Wind Rating	120 mph (BWS) at 150 ft AGL
Wind Rating Test Method	TIA/EIA-222

Packaging and Weights

Include	9

1

Brackets | Hardware | Pipe

Packaging quantity

Page 2 of 3

©2023 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: March 23, 2023



PM-412-63

Weight, net

25.9 kg | 57.1 lb

Regulatory Compliance/Certifications

Classification

ISO 9001:2015

Designed, manufactured and/or distributed under this quality management system



Agency

Included Products

MT-653-63

Plain End Pipe, 4-1/2 in OD x 63 in x .237" A500C 46Ksi

* Footnotes

Wind Rating BWS-Base Wind Speed; FBC-Florida Building Code

Page 3 of 3

©2023 CommScope, Inc. All rights reserved. All trademarks identified by ® or [™] are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: March 23, 2023

